

L Number	Hits	Search Text	DB	Time stamp
1	643	(software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design\$3 or develop\$5 or creat\$5 or construct\$3 or build\$3) near3 (application or software or program) same reus\$6 near2 (component or object) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:03
2	57	((software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design\$3 or develop\$5 or creat\$5 or construct\$3 or build\$3) near3 (application or software or program) same reus\$6 near2 (component or object) and API) and 717/100-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:04
3	11	((((software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design\$3 or develop\$5 or creat\$5 or construct\$3 or build\$3) near3 (application or software or program) same reus\$6 near2 (component or object) and API) and 717/100-122.ccls.) and creat\$3 near3 virtual\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:06
4	21	((((software near2 development or case near2 tool or development near2 tool or integrated near development near environment) and (design\$3 or develop\$5 or creat\$5 or construct\$3 or build\$3) near3 (application or software or program) same reus\$6 near2 (component or object) and API) and 717/100-122.ccls.) and communicat\$3 same API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:07
-	4980	(design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:53
-	677	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:41
-	6	((((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and 717/\$.ccls.) and creat\$3 near2 virtual near3 (attribute or component or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:42
-	1	((((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and 717/\$.ccls.) and creat\$3 near4 virtual and engine near3 communicat\$3 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:44
-	5	((((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and 717/\$.ccls.) and creat\$3 same virtual and engine near3 communicat\$3 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:45

-	5	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and 717/\$.ccls.) and creat\$3 near4 virtual and communicat\$3 same data same view	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:46
-	18	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (component or object) and (application near program near interface or API) same method and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and 717/\$.ccls.) and creat\$3 near4 virtual and communicat\$3 same data and map\$3 near4 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:46
-	4456	(design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$3) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:56
-	4698	(design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:57
-	0	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and map\$5 near data and communicat\$3 near5 (module or engine or objects) and reusable near create	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:57
-	0	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and map\$5 near data and communicat\$3 same (module or engine or objects) and reusable near4 creat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:58
-	0	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6) and map\$5 near data and communicat\$3 same (module or engine or objects) and reusable near4 (objects or components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 14:58
-	625	(design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3 and resus\$4 same (objects or components)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:30
-	1861	(design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:31

-	125	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3 and resus\$4 same (objects or components)) and communicat\$5 same API same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:15
-	16	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3 and resus\$4 same (objects or components)) and communicat\$5 same API same data and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:22
-	39	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3) and creat\$3 near3 virtual near2 (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:23
-	30	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3 and resus\$4 same (objects or components)) and communicat\$5 same API same data) and creat\$3 near3 virtual near2 (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:24
-	3	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3 and resus\$4 same (objects or components)) and communicat\$5 same API same data and 717/\$.ccls.) and creat\$3 near3 virtual near2 (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:24
-	34	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3) and creat\$3 near3 virtual near object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:29
-	31	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and read and write and invoc\$6 and map\$5 near5 (data or object or component) and communicat\$3 and resus\$4 same (objects or components)) and creat\$3 near3 virtual near3 object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:30

-	2552	(design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and creat\$3 near3 virtual same (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:52
-	82	((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and creat\$3 near3 virtual same (object or component)) and map\$5 same data and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:35
-	43	((((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and creat\$3 near3 virtual same (object or component)) and map\$5 same data and 717/\$.ccls.) and resu\$6 near3 (components or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:36
-	37	(((((design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and creat\$3 near3 virtual same (object or component)) and map\$5 same data and 717/\$.ccls.) and resu\$6 near3 (components or object)) and updat\$3 and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 15:36
-	725	(design\$3 or develop\$3 or construct\$3 or creat\$3 or build\$3) near3 (software or application or program) same (reus\$5) same (component or object) and (application near program near interface or API) and creat\$3 near2 object and delet\$2 object and creat\$3 near3 virtual same (object or component) and (uniform near2 application near program near interface of Uniform near3 API)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 17:11
-	6	((("5872973") or ("5978579") or ("5970252"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:05
-	7	creat\$3 near2 object and delet\$3 near2 object and read\$3 and writ\$3 and object near oriented and reus\$6 same (object or component) and (develop\$6 or design\$5 or construct\$3 or build\$3 or creat\$3) near3 (program or application or software) and API near3 uniform same communicat\$3 and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:10
-	170	creat\$3 near3 object and (delet\$3 or destroy\$3) near3 object and read\$3 and writ\$3 and reus\$6 same (object or component) and (develop\$6 or design\$5 or construct\$3 or build\$3 or creat\$3) near3 (program or application or software) and API same communicat\$3 and map\$5 same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:35
-	17	(creat\$3 near3 object and (delet\$3 or destroy\$3) near3 object and read\$3 and writ\$3 and reus\$6 same (object or component) and (develop\$6 or design\$5 or construct\$3 or build\$3 or creat\$3) near3 (program or application or software) and API same communicat\$3 and map\$5 same data) and 717/100-122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:18
-	1	creat\$3 near3 object and (delet\$3 or destroy\$3) near3 object and read\$3 and writ\$3 and reus\$6 same (object or component) and API same (external near object or distributed near object) same characteristics and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:37

-	1	creat\$3 near3 object and (delet\$3 or destroy\$3) near3 object and read\$3 and writ\$3 and reus\$6 same (object or component) and API same (external near object or distributed near object or dcom or orb or corba) same characteristics and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/25 18:38
-	1	creat\$3 near3 object and (delet\$3 or destroy\$3) near3 object and reus\$6 same (object or component) and API same (external near object or distributed near object or dcom or orb or corba) same characteristics and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:59